
CRYOGENICS

Index to volume 21

January to December 1981

PAGE KEY

January	1— 64
February	65—128
March	129—192
April	193—256
May	257—320
June	321—384
July	385—448
August	449—512
September	512—576
October	577—632
November	633—688
December	689—752

Author Index

Agsten, R., Reichel, W.	
Modelling cooling down of tubular geometries to cryogenic temperatures	356
Aharonian, G., Hyman, L.G., Roberts, L.	
Behaviour of power leads for superconducting magnets	145
Albrecht, G., Hilbert, A., Kirsch, G., Nowak, H., Vodel, W., Zach, H.G.	
Application of flat dc-thin film SQUID's and technique for biomagnetic measurements	607
Alekseevskii, N.E., Dodokin, A.P., Bazan, C., Bagdasarov, Kh.S., Fedorov, E.A., Belyaev, L.M.	
Adiabatic demagnetization of Er ³⁺ or Nd ³⁺ substituted YAG	598
Alton, V.A., Blagov, E.V., Kulysov, N.A., Sytchev, V.V.	
The influence of nucleate to film boiling transition in liquid helium on the stability of composite superconductors under ac conditions	555
Ametistov, Ye.V., Labuntzov, D.A.	
The theory of He-II film boiling on horizontal cylinders	51
Anashkin, O.P., Keilin, V.E., Lyikov, V.V.	
The influence of Sc/Cu ratio and filament distribution on the stability of superconductors with respect to local heat pulses	169
Arp, V.D., Hands, B.A.	
A correlation of thermal conductivity data for helium	697
Asano, T., Takeuchi, T., Iijimi, Y., Tachikawa, K.	
Effects of the IVa element addition on the composite processed superconducting Nb ₃ Sn	585
Atherton, D.L., Sponagle, N.C.	
Oval test coil for examining mechanical effects in superconducting coils	39
Awasthi, R., Mukhopadhyay, M.	
K-value predictions for the methane-ethane-propane system	345
Bagdasarov, Kh.S., Alekseevskii, N.E., Dodokin, A.P., Bazan, C., Fedorov, E.A., Belyaev, L.M.	
Adiabatic demagnetization of Er ³⁺ or Nd ³⁺ substituted YAG	598
Baird, M.J., Moss, F., Wyatt, A.F.G.	
A simple apparatus for preparing modest quantities of isotopically pure ⁴ He	114
Bakun, V.N., Nikonov, A.A., Maslakov, V.A., Klimenko, E.I., Kurkin, V.N., Salomonovich, A.E., Sidiyakina, T.M., Khaikin, A.S.	
Space helium refrigerator	474
Bald, W.B., Zust, H.K.	
Experimental observations of flow boiling of liquid helium I in vertical channels	657
Barkov, A.V., Zotov, I.L.	
Investigation of a rotating liquid helium transfer coupling	654
Bazan, C., Alekseevskii, N.E., Dodokin, A.P., Bagdasarov, Kh.S., Fedorov, E.A., Belyaev, L.M.	
Adiabatic demagnetization of Er ³⁺ or Nd ³⁺ substituted YAG	598
Belyaev, L.M., Alekseevskii, N.E., Dodokin, A.P., Bazan, C., Bagdasarov, Kh. S., Fedorov, E.A.	
Adiabatic demagnetization of Er ³⁺ or Nd ³⁺ substituted YAG	598

Bender, E., Buhner, K., Maurer, G.	
Pressure-enthalpy diagrams for methane, ethane, propane, ethylene and propylene	157
Bendik, N.T., Glukhov, N.I.	
Investigation of superconducting cable cooldown	361
Ben-Zvi, I., Elkonin, B.V., Sokolowski, J.S., Pundak, N.	
Large diameter horizontal helium cryostats	213
Beranger, R., Delpeuch, C., Claudet, G., Lacaze, A.A., Bon Mardion, G.	
Double acting reciprocating magnetic refrigerator: first experiments	579
Berghezan, A., Charles, J.	
Nickel-free austenitic steels for cryogenic applications: the Fe-23% Mn-5% Al-0.2% C alloys	278
Bewilogua, H.C.L.	
Remarks on helium production from industrial waste gases	438
Bodio, E., Wilczek, M.	
Analysis of the starting time of the Joule-Thomson micro-liquefier	704
Bogado-Leite, S., Ozisik, M.N., Trepp, Ch.	
Stability of thermal waves in helium-cooled superconducting cables	175
Blagov, E.V., Altov, V.A., Kulysov, N.A., Sytchev, V.V.	
The influence of nucleate to film boiling transition in liquid helium on the stability of composite superconductors under ac conditions	555
Bondarenko, V.I., Dinaburg, L.B., Fokeev, V.F., Kalinin, V.V., Selyankin, P.N.	
Cold box for the forced cooling systems of superconducting magnets	105
Bon Mardion, G., Delpeuch, C., Beranger, R., Claudet, G., Lacaze, A.A.	
Double acting reciprocating magnetic refrigerator: first experiments	579
Boom, R.W., Khalil, A., McIntosh, G.	
Experimental measurement of void fraction in cryogenic two phase upward flow	411
Boscardin, R., Hust, J.G.	
Thermal conductivity of polyester-amide-imide-film	297
Britton, R.B., van de Klundert, L.J.M., ten Kate, H.H.J., Bunk, P.B.	
High current and high power superconducting rectifiers	291
Bruzzone, P., Kwasnitza, K.	
Hysteresis losses of multifilament superconductors in superimposed dc and ac magnetic fields	593
Buhner, K., Maurer, G., Bender, E.	
Pressure-enthalpy diagrams for methane, ethane, propane, ethylene and propylene	157
Bunk, P.B., Britton, R.B., van de Klundert, L.J.M., ten Kate, H.H.J.	
High current and high power superconducting rectifiers	291
Burgess, S., Claudet, G., Graviil, B., Rossat-Mignod, J.	
A 10 tesla cryomagnetic system for neutron scattering experiments	711
Bychkov, Yu. F., Herzong, R., Khukhareva, I.S.	
Thermal conductivity and electrical resistivity of Nb-Ti alloys at low temperatures	741
Calado, J.C.G., Staveley, L.A.K., Lobo, L.Q.	
Triple-points of low melting substances and their use in cryogenic work	131

<i>Campbell, A.M.</i> The effect of transport current and saturation on the losses of multifilamentary superconducting wires	107
<i>Campbell, J.A.</i> Convenient liquid helium level detector	121
<i>Caspari, M., van de Klundert, L.J.M., Gijsbertse, E.A.</i> Trapezoidal ac magnetic fields: a powerful technique for the investigation of type II superconductors	299
<i>Cave, J.R., LeBlanc, M.A.R., Fillion, G., Timms, W.E., Zahradnitsky, A.</i> Study of the barrier against flux exit from type II superconductors	491
<i>Chan, C.K.</i> Cryogenic refrigeration using a low temperature heat source	391
<i>Charles, J., Berghezan, A.</i> Nickel-free austenitic steels for cryogenic applications: the Fe-23% Mn-5% Al-0.2% C alloys	278
<i>Chaudhuri, K.D., Chopra, V.</i> Research activities at liquid helium temperatures in India	67
<i>Chopra, V., Chaudhuri, K.D.</i> Research activities at liquid helium temperatures in India	67
<i>Chovanec, F., Drobin, V.M., Dyachkov, E.I., Jansak, L., Khukhareva, I.S., Kulikov, Yu. V., Luppov, V.G., Malyuk, V.A., Smirnov, A.</i> Losses in superconducting cables in pulsed magnetic fields	559
<i>Chyba, C., Hyman, L.G., Roberts, L.</i> The effect of coolant loss on current leads for superconducting magnets	615
<i>Clark, T.D., Long, A.P., Moore, M., Prance, R.J.</i> Fully engineered high performance UHF SQUID magnetometer	501
<i>Clark, T.D., Prance, R.J., Rushby, H., Potts, M.W., Moore, M.</i> Mains noise suppression for SQUID biomagnetic measurements using a phase-sensitive detector technique	238
<i>Claudet, G., Delpuech, C., Beranger, R., Bon Mardion, G., Lacaze, A.A.</i> Double acting reciprocating magnetic refrigerator: first experiments	579
<i>Claudet, G., Gravi, B., Rossat-Mignod, J., Burgess, S.</i> A 10 tesla cryomagnetic system for neutron scattering experiments	711
<i>Cook, T., McDougall, I., Proctor, W., Winson, P.H.</i> Cryogenics at Oxford Instruments	259
<i>Cort, B., Naugle, D.G.</i> Heat capacity of Wakefield thermal compound from 20 to 100 K	313
<i>Daney, D.E., Jones, M.C.</i> Counterflow cooldown of cryogenic power transmission lines	463
<i>Davidge, H.</i> Cryogenics in the food industry	287
<i>Dawson, A.M.</i> Worldwide cryogenics — USA. The Francis Bitter National Magnet Laboratory, Massachusetts Institute of Technology: cryogenic research facilities	451
<i>Delpuech, C., Beranger, R., Bon Mardion, G., Claudet, G., Lacaze, A.A.</i> Double acting reciprocating magnetic refrigerator: first experiments	579
<i>Denhoff, M., Gyax, S., Long, J.R.</i> Return-flux corrections for SQUID susceptometry	400
<i>Dinaburg, L.B., Fokeev, V.F., Kalinin, V.V., Selyankin, P.N., Bondarenko, V.I.</i> Cold box for the forced cooling systems of superconducting magnets	105
<i>Dodokin, A.P., Alekseevskii, N.E., Bazan, C., Bagdasarov, Kh. S., Fedorov, E.A., Belyaev, L.M.</i> Adiabatic demagnetization of Er^{3+} or Nd^{3+} substituted YAG	598
<i>Drobin, V.M., Chovanec, F., Dyachkov, E.I., Jansak, L., Khukhareva, I.S., Kulikov, Yu. V., Luppov, V.G., Malyuk, V.A., Smitnov, A.</i> Losses in superconducting cables in pulsed magnetic fields	559
<i>Dubernet, Ph., Pech, T.</i> Electrocalorimetric apparatus for measuring losses in superconducting samples	543
<i>Dyachkov, E.I., Chovanec, F., Drobin, V.M., Jansak, L., Khukhareva, I.S., Kulikov, Yu. V., Luppov, V.G., Malyuk, V.A., Smirnov, A.</i> Losses in superconducting cables in pulsed magnetic fields	559
<i>Dyachkov, E.I., Herzog, R., Khukhareva, I.S., Nichitiu, A.</i> Thermal conductivity and electrical resistivity of Nb-Ti (HT-50) as a function of temperature and magnetic field	47
<i>Eckert, D., Gladun, A., Mobius, A., Verges, P.</i> Numerical treatment of the quenching process in superconducting magnet systems	367
<i>Elkonin, B.V., Sokolowski, J.S., Pundak, N., Ben-Zvi, I.</i> Large diameter horizontal helium cryostats	213
<i>Elleman, D.D., Saffren, M.M., Yang, L.C., Petrac, D.</i> Characterization of superfluid helium transfer	207
<i>Fearon, E.M., Souers, P.C., Tsugawa, R.T.</i> Electrical properties of D-T gas from 20 to 26 K	667
<i>Fedorov, E.A., Alekseevskii, N.E., Dodokin, A.P., Bazan, C., Bagdasarov, Kh.S., Belyaev, L.M.</i> Adiabatic demagnetization of Er^{3+} or Nd^{3+} substituted YAG	598
<i>Fillion, G., Timms, W.E., Zahradnitsky, A., Cave, J.R., LeBlanc, M.A.R.</i> Study of the barrier against flux exit from type II superconductors	491
<i>Fokeev, V.F., Kalinin, V.V., Selyankin, P.N., Bondarenko, V.I., Dinaburg, L.B.</i> Cold box for the forced cooling systems of superconducting magnets	105
<i>Forgan, E.M.</i> A 100A plug and socket for use at liquid helium temperatures	679
<i>Forgan, E.M., Nedjat, S.</i> Resistance "creep" of Allen-Bradley resistors at low temperatures	681
<i>Francois, M.X., Gentile, D.</i> Heat transfer properties in a vertical channel filled with saturated and pressurized helium II	234
<i>Fujii, G.</i> Present practices in Japan for the measurement and definition of various superconducting parameters	21
<i>Furukawa, H., Shirae, K., Kishida, K.</i> A new multi-element rf SQUID system and its application to the magnetic vector gradiometer	707

<i>Gavrilov, R.V., Zhitomirsky, I.S.</i>	
Optimization of cryostabilized superconducting generator windings cooled by the thermosiphon method	567
<i>Gentile, D., Franco, M.X.</i>	
Heat transfer properties in a vertical channel filled with saturated and pressurized helium II.	234
<i>Gerhold, J.</i>	
On the layout of low temperature bushings for high ac voltage	426
<i>Gijsbertse, E.A., Caspari, M., van de Klundert, L.J.M.</i>	
Trapezoidal ac magnetic fields: a powerful technique for the investigation of type II superconductors	299
<i>Gijsbertse, E.A., van de Klundert, L.J.M., van Rij, M.L.D. van Weezep, W.J.</i>	
Non-isothermal fluxpenetration in type II superconductors	419
<i>Gladun, A., Mobius, A., Verges, P., Eckert, D.</i>	
Numerical treatment of the quenching process in superconducting magnet systems	367
<i>Glukhov, N.I., Bendik, N.T.</i>	
Investigation of superconducting cable cooldown	361
<i>Gmelin, E., Ripka, K.</i>	
A simple versatile sample holder of low heat capacity for adiabatic calorimetry	117
<i>Goldfarb, R.B.</i>	
Miniature multipin electrical feedthrough for vacuum use	746
<i>Golopentia, D.A., Ruoff, A.L.</i>	
Note on measuring loads at low temperatures (15 K)	241
<i>Good, M.L., Monaghan, C.P., O'Brien, E.J.</i>	
An Automatic liquid nitrogen filling system	540
<i>Gravil, B., Claudet, G., Rossat-Mignod, J., Burgess, S.</i>	
A 10 tesla cryomagnetic system for neutron scattering experiments	711
<i>Gross, D.A., Yamada, R., Wake, M.</i>	
Harmonic measurements in superconducting magnets for a high energy accelerator.	341
<i>Gubanski, S.M., Wankowicz, J.</i>	
Surface Thermostimulated currents on organic and inorganic dielectrics in the temperature range 78-285 K	563
<i>Gurevich, A.V., Mints, R.G.</i>	
Asymmetry of the normal zone propagation velocity in superconductors	102
<i>Gygax, S., Long, J.R., Denhoff, M.</i>	
Return-flux corrections for SQUID susceptometry.	400
<i>Hands, B.A., Arp, V.D.</i>	
A correlation of thermal conductivity data for helium	697
<i>Hashimoto, T., Numasawa, T., Shino, M., Okada, T.</i>	
Magnetic refrigeration in the temperature range from 10 K to room temperature: the ferromagnetic refrigerants	647
<i>Herzog, R., Bychkov, Yu. F., Khukhareva, I.S.</i>	
Thermal conductivity and electrical resistivity of Nb-Ti alloys at low temperatures.	741
<i>Herzog, R., Khukhareva, I.S., Nichitiu, A., Dyachkov, E.I.</i>	
Thermal conductivity and electrical resistivity of Nb-Ti (HT-50) as a function of temperature and magnetic field	47
<i>Hilbert, A., Albrecht, G., Kirsch, G., Nowak, H., Vodel, W., Zach, H.G.</i>	
Application of flat dc-thin film SQUID's and technique for biomagnetic measurements	607
<i>Hofmann, A.</i>	
Self-regulating transfer modes of liquid helium to the rotor of a superconducting generator	372

<i>Horigami, O., Murase, S., Shiraki, H.</i>	
Influences of tensile and bending strains on the critical current in multifilamentary Nb ₃ -Sn composites processed by Nb tube method	7
<i>Hueber, D., Valette, C., Waysand, G.</i>	
Superconducting x and gamma ray imaging device	387
<i>Hust, J.G., Boscardin, R.</i>	
Thermal conductivity of polyester-amide-imide film.	297
<i>Hust, J.G., Smith, D.R.</i>	
Measurement of effective thermal conductivity of a glass fibreboard standard reference material.	408
<i>Hust, J.G., van Poolen, L.J., Smith, D.R.</i>	
Measurement of effective thermal conductivity of glass fibre blanket standard reference material	460
<i>Hyman, L.G., Chyba, C., Roberts, L.</i>	
The effects of coolant loss on current leads for superconducting magnets	615
<i>Hyman, L.G., Roberts, L., Aharonian, G.</i>	
Behaviour of power leads for superconducting magnets.	145
<i>Iijimi, Y., Takeuchi, T., Asano, T., Tachikawa, K.</i>	
Effects of the IVa element addition on the composite processed superconducting Nb ₃ Sn	585
<i>Imenitov, A.B., Klimenko, E.Yu., Kozitsyn, V.E., Novikov, S.I., Ozhogina, V.K.</i>	
Measurement of the stability of overheated superconducting niobium-titanium wires.	56
<i>Irie, F., Matsushita, T., Klipping, G., Luders, K., Ruppert, U., Takeo, M.</i>	
ac magnetic instability in non-ideal type-II superconductors	71
<i>Iwasa, Y., Kensley, R.S., Maeda, H.</i>	
Transient slip behaviour of metal/insulator pairs at 4.2 K	479
<i>James, B.W., Wostenholm, G.H., Jones, S., Morton, N.</i>	
The anomalous low temperature lattice thermal conductivity of V ₃ Sn and related compounds.	81
<i>Janawadkar, M.P., Valsakumar, M.C., Radhakrishnan, T.S.</i>	
Computation of minimum volume sixth order superconducting solenoids	403
<i>Jansak, L., Chovanec, F., Drobin, V.M., Dyachkov, E.I., Khurkhareva, I.S., Kulikov, Y.V., Luppov, V.G., Malyuk, V.A., Smirnov, A.</i>	
Losses in superconducting cables in pulsed magnetic fields	559
<i>Jaruntsev, V.K., Medvedev, V.A.</i>	
Enthalpy of He-H ₂ mixtures in the region of liquid-gas phase equilibrium	609
<i>Jones, M.C., Daney, D.E.</i>	
Counterflow cooldown of cryogenic power transmission lines	463
<i>Jones, S., Morton, N., James, B.W., Wostenholm, G.H.</i>	
The anomalous low temperature lattice thermal conductivity of V ₃ Sn and related compounds.	81
<i>Kalinin, V.V., Selyankin, P.N., Bondarenko, V.I., Dinaburg, L.B., Fokeev, V.F.</i>	
Cold box for the forced cooling systems of superconducting magnets.	105
<i>Kanbara, K., Kubota, Y., Yasohama, K., Yasukochi, K., Ogasawara, T., Takahashi, Y.</i>	
Alternative field losses in superconducting wires carrying dc transport currents. Part 2: multifilamentary composite conductors.	97

Kasen, M.B.

Cryogenic properties of filamentary-reinforced composites: an update. 323

Keilin, V.E., Lyikov, V.V., Anashkin, O.P.

The influence of Sc/Cu ratio and filament distribution on the stability of superconductors with respect to local heat pulses 169

Kensley, R.S., Maeda, H., Iwasa, Y.

Transient slip behaviour of metal/insulator pairs at 4.2 K 479

Khaikin, A.S., Bakun, V.N., Nikonov, A.A., Maslakov, V.A.

Klimenko, E.I., Kurkin, V.N., Salomonovich, A.E., Sidyakina, T.M.

Space helium refrigerator 474

Khalil, A., McIntosh, G., Boom, R.W.

Experimental measurement of void fraction in cryogenic two phase upward flow. 411

Khukhareva, I.S., Bychkov, Yu.F., Herzog, R.

Thermal conductivity and electrical resistivity of Nb-Ti alloys at low temperatures. 741

Khukhareva, I.S., Chovanec, F., Drobin, V.M., Dyachkov, E.I., Jansak, L., Kulikov, Yu.V., Luppov, V.G., Malyuk, V.A., Smirnov, A.

Losses in superconducting cables in pulsed magnetic fields 559

Khukhareva, I.S., Nichitiu, A., Dyachkov, E.I., Herzog, R.

Thermal conductivity and electrical resistivity of Nb-Ti (HT-50) as a function of temperature and magnetic field. 47

King, H.W., Larbalestier, D.C.

Austenitic stainless steels at cryogenic temperature: the compositional dependence of the M_s 521

King, H.W., Warnes, L.A.A.

The low temperature magnetic properties of austenitic Fe-Cr-Ni alloys. 3. the effect of chromium concentration in Fe-Cr-17 wt% Ni alloys 729

Kinoshita, J., Yoshihiro, K., Murata, K.

Superleaktight wire solder gasket seals for use at low temperature 507

Kirsch, G., Albrecht, G., Hilbert, A., Nowak, H., Vodel, W., Zach, H.G.

Application of flat dc-thin film SQUID'S and technique for biomagnetic measurements 607

Kishida, K., Shirae, K., Furukawa, H.

A new multi-element rf SQUID system and its application to the magnetic vector gradiometer. 707

Klimenko, E.Yu., Kozitsyn, V.E., Novikov, S.I., Ozhogina, V.K., Imenitov, A.B.

Measurement of the stability of overheated superconducting niobium-titanium wires. 56

Klimenko, E.I., Kurkin, V.N., Salomonovich, A.E., Sidyakina, T.M., Khaikin, A.S., Bakun, V.N., Nikonov, A.A., Maslakov, V.A.

Space helium refrigerator 474

Klipping, G., Krishna, A., Ruppert, U., Srinivasa, R., Walter, H.

Low temperature skin treatment 181

Klipping, G., Luders, K., Ruppert, U., Takeo, M., Irie, F., Matsushita, T.

ac magnetic instability in non-ideal type-II superconductors 71

Kochetkov, V.M., Voevodskii, K.E.

Theory of superconducting magnet suspension: main results survey 719

Komuro, K., Ugazin, H., Onishi, T., Koyama, K.

Transient stability of superconducting cable against thermal disturbance 431

Koretsky, A.Yu., Kostenko, A.I., Trokhachev, G.V., Zhelamsky, M.V.

On the transient heat transfer in liquid helium in narrow horizontal channels 216

Koschowitz, M., Sievers, U., Schulz, S.

Correlation of orthobaric liquid densities and of second virial coefficients for methane 623

Kostenko, A.I., Trokhachev, G.V., Zhelamsky, M.V., Koretsky, A.Yu.

On the transient heat transfer in liquid helium in narrow horizontal channels 216

Koyama, K., Komuro, K., Ugazin, H., Onishi, T.

Transient stability of superconducting cable against thermal disturbance 431

Kozitsyn, V.E., Novikov, S.I., Ozhogina, V.K., Imenitov, A.B., Klimenko, E.Yu.

Measurement of the stability of overheated superconducting niobium-titanium wires. 56

Krishna, A., Ruppert, U., Srinivasa, R., Walter, H., Klipping, G.

Low temperature skin treatment 181

Kryukov, A.P., van Sciver, S.W.

Calculation of the recovery heat flux from film boiling in superfluid helium 525

Kubota, Y., Yasohama, K., Yasukochi, K., Ogasawara, T., Takahashi, Y., Kanbara, K.

Alternative field losses in superconducting wires carrying dc transport currents. Part 2: multifilamentary composite conductors. 97

Kulikov, Yu.V., Chovanec, F., Drobin, V.M., Dyachkov, E.I., Jansak, L., Khukhareva, I.S., Luppov, V.G., Malyuk, V.A., Smirnov, A.

Losses in superconducting cables in pulsed magnetic fields 559

Kulysov, N.A., Altov, V.A. Blagov, E.V., Sytchev, V.V.

The influence of nucleate to film boiling transition in liquid helium on the stability of composite superconductors under ac conditions 555

Kurkin, V.N., Salomonovich, A.E., Sidyakina, T.M., Khaikin, A.S., Bakun, V.N., Nikonov, A.A., Maslakov, V.A., Klimenko, E.I.

Space helium refrigerator 474

Kwasnitza, K., Bruzzone, P.

Hysteresis losses of multifilament superconductors in superimposed dc and ac magnetic fields 593

Labuntzov, D.A., Ametistov, Ye.V.

The theory of He-II film boiling on horizontal cylinders . 51

Lacaze, A., Delpuech, C., Beranger, R., Bon Mardion, G., Claudet, G.

Double acting reciprocating magnetic refrigerator: first experiments 579

Larbalestier, D.C., King, H.W.

Austenitic stainless steels at cryogenic temperatures: the compositional dependence of the M_s 521

LeBlanc, M.A.R., Fillion, G., Timms, W.E., Zahradnitsky, A., Cave, J.R.

Study of the barrier against flux exit from type II superconductors. 491

Lee, P.S.C., Skoczylas, G.A., Tran, M.Q., Wong, A.Y.

Leak tight vacuum seals for large windows and flanges at liquid helium temperatures 625

Lobo, L.Q., Calado, J.C.G., Staveley, L.A.K.

Triple points of low melting substances and their use in cryogenic work 131

<i>Löhneysen, H.V., Schink, H.J.</i>	
Specific heat of Apiezon N grease at very low temperatures	591
<i>Long, A.P., Moore, M., Prance, R.J., Clark, T.D.</i>	
Fully engineering high performance UHF SQUID magnetometer	501
<i>Long, J.R., Denhoff, M., Gyga, S.</i>	
Return-flux corrections for SQUID susceptometry	400
<i>Luders, K., Ruppert, U., Takeo, M., Irie, F., Matsushita, T., Klipping, G.</i>	
ac magnetic instability in non-ideal type-II superconductors	71
<i>Luo, C.C., Miller, R.C.</i>	
Densities and dielectric constants for some LPG components and mixtures at cryogenic and standard temperatures	85
<i>Luppov, V.G., Chovanec, F., Drobin, V.M., Dyachkov, E.I., Jansak, L., Khurkhareva, I.S., Kulikov, Yu.V., Malyuk, V.A., Smirnov, A.</i>	
Losses in superconducting cables in pulsed magnetic fields	559
<i>Lyikov, V.V., Anashkin, O.P., Keilin, V.E.</i>	
The influence of Sc/Cu ratio and filament distribution on the stability of superconductors with respect to local heat pulses	169
<i>Maeda, H., Iwasa, Y., Kensley, R.S.</i>	
Transient slip behaviour of metal/insulator pairs at 4.2 K	479
<i>Maix, R.K., Nardai, F., Weber, H.W.</i>	
Neutron irradiation of a broad spectrum of NbTi superconductors	223
<i>Makiej, B., Sikora, A.</i>	
Electrical resistance behaviour of a type 1 superconductor containing ferromagnetic particles	622
<i>Maksimov, I.L., Mints, R.G., Rakhmanov, A.L.</i>	
Quenching stress, quenching current and plastic strain in superconductors	715
<i>Maley, M.P., Thompson, J.D., Newkirk, L.R.</i>	
ac losses in Nb ₃ Ge composite tape conductors	675
<i>Malyuk, V.A., Chovanec, F., Drobin, V.M., Dyachkov, E.I., Jansak, L., Khurkhareva, I.S., Kulikov, Yu.V., Luppov, V.G., Smirnov, A.</i>	
Losses in superconducting cables in pulsed magnetic fields	559
<i>Maslov, V.A., Klimenko, E.I., Kurkin, V.N., Salomonovich, A.E., Sidiyakina, T.M., Khaikin, A.S., Bakun, V.N., Nikonov, A.A.</i>	
Space helium refrigerator	474
<i>Matsushita, T., Klipping, G., Luders, K., Ruppert, U., Takeo, M., Irie, F.</i>	
ac magnetic instability in non-ideal type-II superconductors	71
<i>Maurer, G., Bender, E., Buhner, K.</i>	
Pressure-enthalpy diagrams for methane, ethane, propane, ethylene and propylene	157
<i>Medvedev, V.A., Jaruntsev, V.K.</i>	
Enthalpy of He-H ₂ mixtures in the region of liquid-gas phase equilibrium	609
<i>Miller, R.C., Luo, C.C.</i>	
Densities and dielectric constants for some LPG components and mixtures at cryogenic and standard temperatures	85
<i>Mints, R.G., Gurevich, A.V.</i>	
Asymmetry of the normal zone propagation velocity in superconductors	102
<i>Mints, R.G., Maksimov, I.L., Rakhmanov, A.L.</i>	
Quenching stress, quenching current and plastic strain in superconductor	715
<i>Mobius, A., Verges, P., Eckert, D., Gladun, A.</i>	
Numerical treatment of the quenching process in superconducting magnet systems	367
<i>Monaghan, C.P., O'Brien, E.J., Good, M.L.</i>	
An automatic liquid nitrogen filling system	540
<i>Moore, M., Clark, T.D., Prance, R.J., Rushby, H., Potts, M.W.</i>	
Main noise suppression for SQUID biomagnetic measurements using a phase-sensitive detector technique	20
<i>Moore, M., Prance, R.J., Clark, T.D., Long, A.P.</i>	
Fully engineered high performance UHF SQUID magnetometer	501
<i>Morton, N., James, B.W., Wostenholm, G.H., Jones, S.</i>	
The anomalous low temperature lattice thermal conductivity of V ₃ Sn and related compounds	81
<i>Moss, F., Wyatt, A.F.G., Baird, M.J.</i>	
A simple apparatus for preparing modest quantities of isotopically pure ⁴ He	114
<i>Mukhopadhyay, M., Awasthi, R.</i>	
K-value predictions for the methane-ethane-propane system	345
<i>Murase, S., Shiraki, H., Horigami, O.</i>	
Influences of tensile and bending strains on the critical current in multifilamentary Nb ₃ Sn composites processed by Nb tube method	7
<i>Murata, K., Kinoshita, J., Yoshihiro, K.</i>	
Superleaktight wire solder gasket seals for use at low temperature	507
<i>Murthy, Krishna, M.V., Srinivasa, S.</i>	
Heat transfer in floating insulations for open cryogenic liquid containers	641
<i>Murthy, Srinivasa, S., Murthy, Krishna, M.V.</i>	
Heat transfer in floating insulations for open cryogenic liquid containers	641
<i>McDougall, I., Proctor, W., Winson, P.H., Cook, T.</i>	
Cryogenics at Oxford Instruments	259
<i>McIntosh, G., Boom, R.W., Khalil, A.</i>	
Experimental measurement of void fraction in cryogenic two phase upward flow	411
<i>Nardai, F., Weber, H.W., Maix, R.K.</i>	
Neutron irradiation of a broad spectrum of NbTi superconductors	223
<i>Nardai, F., Weber, H.W.</i>	
Computerized measuring system for critical currents in superconductors	219
<i>Naugle, D.G., Cort, B.</i>	
Heat capacity of Wakefield thermal compound from 20 to 100 K	313
<i>Nedjat, S., Forgan, E.M.</i>	
Resistance "creep" of Allen-Bradley resistors at low temperatures	681
<i>Newkirk, L.R., Maley, M.P., Thompson, J.D.</i>	
ac Losses in Nb ₃ Ge composite tape conductors	675
<i>Nichitiu, A., Dyachkov, E.I., Herzog, R., Khukhareva, I.S.</i>	
Thermal conductivity and electrical resistivity of Nb-Ti (HT-50) as a function of temperature and magnetic field	47
<i>Nikonov, A.A., Maslov, V.A., Klimenko, E.I., Kurkin, V.N., Salomonovich, A.E., Sidiyakina, T.M., Khaikin, A.S., Bakun, V.N.</i>	
Space helium refrigerator	474

Nishijima, S., Ueta, S., Okada, T.

The effects of low temperature irradiation effect on the cryogenic fatigue resistance of epoxy resin used in superconducting magnets 312
Novikov, S.I., Ozhogina, V.K., Imenitov, A.B., Klimenko, E. Yu., Kozitsyn, V.E.

Measurement of the stability of overheated superconducting niobium-titanium wires. 56
Nowak, H., Albrecht, G., Hilbert, A., Kirsch, G., Vodel, W., Zach, H.G.

Application of flat dc-thin film SQUID's and technique for biomagnetic measurements 607
Numasawa, T., Hashimoto, T., Shino, M., Okada, T.
Magnetic refrigeration in the temperature range from 10 K to room temperature: the ferromagnetic refrigerants . . 647

O'Brien, E.J., Monaghan, C.P., Good, M.L.

An automatic liquid nitrogen filling system 540
Ogasawara, T., Takahashi, Y., Kanbara, K., Kubota, Y., Yasohama, K., Yasukochi, K.

Alternative field losses in superconducting wires carrying dc transport currents. Part 2: multifilamentary composite conductors. 97

Okada, T., Hashimoto, T., Numasawa, T., Shino, M.
Magnetic refrigeration in the temperature range from 10 K to room temperature: the ferromagnetic refrigerants . . 647

Okada, T., Nishijima, S., Ueta, S.
The effects of low temperature irradiation effect on the cryogenic fatigue resistance of epoxy resin used in superconducting magnets 312

Okaji, J., Takada, T., Yuyama, H., Suzuki, H., Watanabe, T.
Simultaneous measurements of heat capacity and pressure coefficient of liquid He⁴ and He³-He⁴ mixtures. 601
Onishi, T., Koyama, K., Komuro, K., Ugazin, H.

Transient stability of superconducting cable against thermal disturbance 431
Opschoor, G.

Investigations into the evaporation of liquefied gases spreading on land 281
Overton, W.C. Jr., Weinstock, H., Thompson, C.W. Jr.

A method for measuring the low temperature thermal conductivity of thin wires. 118
Ozhogina, V.K., Imenitov, A.B., Klimenko, E. Yu., Kozitsyn, V.E., Novikov, S.I.

Measurement of the stability of overheated superconducting niobium-titanium wires. 56
Ozisk, M.N., Trepp, Ch., Bogado-Leite, S.

Stability of thermal waves in helium-cooled superconducting cables 175

Packard, R.E., Swift, G.W.

Rapid shutdown and restart of a millikelvin cryostat . . 241
Pan, V.M.

Superconducting properties of Al₅ V₃Ga and Nb₃Al by precipitation from supersaturated bcc phase 547
Parsons, R.B.

Cryopreservation equipment 747
Pech, T. Dubernet, Ph.

Electrocalorimetric apparatus for measuring losses in superconducting samples. 543

Petrac, D., Elleman, D.D., Saffren, M.M., Yang, L.C.
Characterization of superfluid helium transfer. 207

Potts, M.W., Moore, M., Clark, T.D., Prance, R.J., Rushby, H.

Mains noise suppression for SQUID biomagnetic measurements using a phase-sensitive detector technique 238
Prance, R.J., Clark, T.D., Long, A.P., Moore, M.

Fully engineered high performance UHF SQUID magnetometer 501
Prance, R.J., Rushby, H., Potts, M.W., Moore, M., Clark, T.D.

Mains noise suppression for SQUID biomagnetic measurements using a phase-sensitive detector technique 238
Proctor, W., Winson, P.H., Cook, T., McDougall, I.

Cryogenics at Oxford Instruments 259

Pundak, N., Ben-Zvi, I., Elkonin, B.V., Sokolowski, J.S.
Large diameter horizontal helium cryostats 213

Radhakrishnan, T.S., Janawadkar, M.P., Valsakumar, M.C.
Computation of minimum volume sixth order superconducting solenoids 403

Rakhmanov, A.L., Maksimov, I.L., Mints, R.G.
Quenching stress, quenching current and plastic strain in superconductors 715
Read, D.T., Reed, R.P.

Fracture and strength properties of selected austenitic stainless steels at cryogenic temperatures 415
Reed, R.P., Read, D.T.

Fracture and strength properties of selected austenitic stainless steels at cryogenic temperatures 415
Reichel, W., Agsten, R.

Modelling cooling down of tubular geometries to cryogenic temperatures 356
Ripka, K., Gmelin, E.

A simple versatile sample holder of low heat capacity for adiabatic calorimetry 117
Roberts, L., Aharonian, G., Hyman, L.G.

Behaviour of power leads for superconducting magnets. 145
Roberts, L., Chyba, C., Hyman, L.G.

The effects of coolant loss on current leads for superconducting magnets. 615
Romanyuk, A.S., Zheltov, V.V., Zenkevitch, V.B.

Losses in composite superconductors at a high level of magnetic field excitation: Part 2. 13
Rossat-Mignod, J., Claudet, G., Gravi, B., Burgess, S.

A 10 tesla cryomagnetic system for neutron scattering experiments 711
Rowlands, R.E., Weisensel, G.N.

In situ cryogenic moiré strain analysis 242
Ruoff, A.L., Golopentia, D.A.

Note on measuring loads at low temperatures (15 K) . . 241
Rupp, G.

Self-healing in strained multifilamentary Nb₃Sn conductors 619

Ruppert, U., Srinivasa, R., Walter, H., Klipping, G., Krishna, A.
Low temperature skin treatment 181

Ruppert, U., Takeo, M., Irie, F., Matsushita, T., Klipping, G., Luders, K.
ac magnetic instability in non-ideal type-II superconductors 71

Rushby, H., Potts, M.W., Moore, M., Clark, T.D., Prance, R.J.
Mains noise suppression for SQUID biomagnetic measurements using a phase-sensitive detector technique 238

<i>Saffren, M.M., Yang, L.C., Petrac, D., Elleman, D.D.</i> Characterization of superfluid helium transfer.	207
<i>Salomonovich, A.E., Sidiyakina, T.M., Khaikin, A.S., Bakun, V.N., Nikonov, A.A., Maslakov, V.A., Klimenko, E.I., Kurkin, V.N.</i> Space helium refrigerator	474
<i>Schink, H.J., Löhneysen, H.V.</i> Specific heat of Apiezon N grease at very low temperatures	591
<i>Schauer, F.</i> Transport of cryogenic liquids or gases between installation at different electrical potentials	735
<i>Schulz, S., Sievers, U., Koschowitz, M.</i> Correlation of orthobaric liquid densities and of second virial coefficients for methane	623
<i>Sekine, T., Tamada, N., Tomiyama, S.</i> Temperature control for a long distance cooling channel using a microcomputer	349
<i>Sekine, H., Togano, K., Tachikawa, K.</i> Superconducting current carrying capacities of the composite-processed Nb-Hf/Cu-Sn-Ga in high magnetic fields.	152
<i>Selig, K.P., Wener, H.G.</i> An ultrasonic level sensor for liquid gases.	680
<i>Selyankin, P.N., Bondarenko, V.I., Dinaburg, L.B., Fokeev, V.F., Kalinin, V.V.</i> Cold box for the forced cooling systems of superconducting magnets.	105
<i>Sharma, R.G., Tanaka, Y., Tachikawa, K.</i> Improved superconducting properties of the composite-processed V ₃ Ga wires with changed configuration	165
<i>Shino, M., Hashimoto, T., Numasawa, T., Okada, T.</i> Magnetic refrigeration in the temperature range from 10 K to room temperature: the ferromagnetic refrigerants . .	647
<i>Shirae, K., Furukawa, H., Kishida, K.</i> A new multi-element rf SQUID system and its application to the magnetic vector gradiometer.	707
<i>Shiraki, H., Horigami, O., Murase, S.</i> Influences of tensile and bending strains on the critical current in multifilamentary Nb ₃ -Sn composites processed by Nb tube method	7
<i>Sidiyakina, T.M., Khaikin, A.S., Bakun, V.N., Nikonov, A.A., Maslakov, V.A., Klimenko, E.I., Kurkin, V.N., Salomonovich, A.E.</i> Space helium refrigerator	474
<i>Sievers, U., Koschowitz, M., Schulz, S.</i> Correlation of orthobaric liquid densities and of second virial coefficients for methane	623
<i>Sikora, A., Makiej, B.</i> Electrical resistance behaviour of a type 1 superconductor containing ferromagnetic particles	622
<i>Skoczylas, G.A., Lee, P.S.C., Tran, M.Q., Wong, A.Y.</i> Leak tight vacuum seals for large windows and flanges at liquid helium temperatures	625
<i>Smirnov, A., Chovanec, F., Drobin, V.M., Dyachkov, E.I., Jansak, L., Khurkhareva, I.S., Kulikov, Yu.V., Luppov, V.G., Malyuk, V.A.</i> Losses in superconducting cables in pulsed magnetic fields	559
<i>Smith, D.R., Hust, J.G.</i> Measurement of effective thermal conductivity of a glass fibreboard standard reference material.	408
<i>Smith, D.R., Hust, J.G., van Poolen, L.J.</i> Measurement of effective thermal conductivity of glass fibre blanket standard reference material	460
<i>Sokolowski, J.S., Pundak, N., Ben-Zvi, I., Elkonin, B.V.</i> Large diameter horizontal helium cryostats	213
<i>Souers, P.C., Fearon, E.M., Tsugawa, R.T.</i> Electrical properties of D-T gas from 20 to 26 K	667
<i>Sponagle, N.C., Atherton, D.L.</i> Oval test coil for examining mechanical effects in superconducting coils	39
<i>Srinivasa, R., Walter, H., Klipping, G., Krishna, A., Ruppert, U.</i> Low temperature skin treatment	181
<i>Staveley, L.A.K., Lobo, L.Q., Calado, J.C.G.</i> Triple-points of low melting substances and their use in cryogenic work	131
<i>Suzuki, H., Takada, T., Okaji, J., Yuyama, H., Watanabe, T.</i> Simultaneous measurements of heat capacity and pressure coefficient of liquid He ⁴ and He ³ -He ⁴ mixtures	601
<i>Swift, G.W., Packard, R.E.</i> Rapid shutdown and restart of a millikelvin cryostat . .	241
<i>Sytchev, V.V. Kulysov, N.A., Altov, V.A., Blagov, E.V.</i> The influence of nucleate to film boiling transition in liquid helium on the stability of composite superconductors under ac conditions	555
<i>Tachikawa, K., Iijimi, Y., Takeuchi, T., Asano, T.</i> Effects of the IVa element addition on the composite processed superconducting Nb ₃ Sn	585
<i>Tachikawa, K., Sekine, H., Togano, K.</i> Superconducting current carrying capacities of the composite-processed Nb-Hf/Cu-Sn-Ga in high magnetic fields.	152
<i>Tachikawa, K., Sharma, R.G., Tanaka, Y.</i> Improved superconducting properties of the composite-processed V ₃ Ga wires with changed configuration	165
<i>Takada, T., Okaji, J., Yuyama, J., Suzuki, H., Watanabe, T.</i> Simultaneous measurements of heat capacity and pressure coefficient of liquid He ⁴ and He ³ -He ⁴ mixtures	601
<i>Takahashi, Y., Kanbara, K., Kubota, Y., Yasohama, K., Yasukochi, K., Ogasawara, T.</i> Alternative field losses in superconducting wires carrying dc transport currents. Part 2: multifilamentary composite conductors.	97
<i>Takeo, M., Irie, F., Matsushita, T., Klipping, G., Luders, K., Ruppert, U.</i> ac magnetic instability in non-ideal type-II superconductors	71
<i>Takeuchi, T., Asano, T., Iijimi, Y., Tachikawa, K.</i> Effects of the IVa element addition on the composite processed superconducting Nb ₃ Sn	585
<i>Tamada, N., Tomiyama, S., Sekine, T.</i> Temperature control for a long distance cooling channel using a microcomputer	349
<i>Tanaka, Y., Tachikawa, K., Sharma, R.G.</i> Improved superconducting properties of the composite-processed V ₃ Ga wires with changed configuration	165
<i>Tantam, D.</i> Application of cryogenic containers	691
<i>ten Kate, H.H.J., Bunk, P.B., Britton, R.B., van de Klundert, L.J.M.</i> High current and high power superconducting rectifiers .	291
<i>ten Kate, H.H.J., van de Klundert, L.J.M.</i> Fully superconducting rectifiers and flux pumps. Part 1: Realized methods for pumping flux	195
<i>ten Kate, H.H.J., van de Klundert, L.J.M.</i> On fully superconducting rectifiers and flux pumps Part 2: commutation modes, characteristics and switches	267

<i>Thompson, J.D., Maley, M.P., Newkirk, L.R.</i> ac losses in Nb ₃ Ge composite tape conductors	675
<i>Thompson, C.W. Jr., Overton, W.C. Jr., Weinstock, H.</i> A method for measuring the low temperature thermal conductivity of thin wires	118
<i>Timms, W.E., Zahradnitsky, A., Cave, J.R., LeBlanc, M.A.R., Fillion, G.</i> Study of the barrier against flux exit from type II superconductors	491
<i>Togano, K., Tachikawa, K., Sekine, H.</i> Superconducting current carrying capacities of the composite-processed Nb-Hf/Cu-Sn-Ga in high magnetic fields	152
<i>Tomiyama, S., Sekine, T., Tamada, N.</i> Temperature control for a long distance cooling channel using a microcomputer	349
<i>Tran, M.Q., Lee, P.S.C., Skoczylas, G.A., Wong, A.Y.</i> Leak tight vacuum seals for large windows and flanges at liquid helium temperatures	625
<i>Trepp, Ch., Bogado-Leite, S., Ozisik, M.N.</i> Stability of thermal waves in helium-cooled superconducting cables	175
<i>Trokhachev, G.V., Zhelamsky, M.V., Koretsky, A.Yu., Kostenko, A.I.</i> On the transient heat transfer in liquid helium in narrow horizontal channels	216
<i>Tsugawa, R.T., Souers, P.C., Fearon, E.M.</i> Electrical properties of D-T gas from 20 to 26 K	667
<i>Turowski, P.</i> The stability of Nb ₃ Sn-composite conductors cooled by normal and superfluid helium	523
<i>Ueta, S., Okada, T., Nishijima, S.</i> The effects of low temperature irradiation effect on the cryogenic fatigue resistance of epoxy resin used in superconducting magnets	312
<i>Ugazin, H., Onishi, T., Koyama, K., Komuro, K.</i> Transient stability of superconducting cable against thermal disturbance	431
<i>Valette, C., Waysand, G., Hueber, D.</i> Superconducting x and gamma ray imaging device	387
<i>Valsakumar, M.C., Radhakrishnan, T.S., Janawadkar, M.P.</i> Computation of minimum volume sixth order superconducting solenoids	403
<i>van de Klundert, L.J.M., Gijsbertse, E.A., Caspari, M.</i> Trapezoidal ac magnetic fields: a powerful technique for the investigation of type II superconductors	299
<i>van de Klundert, L.J.M., ten Kate, H.H.J.</i> Fully superconducting rectifiers and flux pumps. Part 1: Realized methods for pumping flux	195
<i>van de Klundert, L.J.M., ten Kate, H.H.J.</i> On fully superconducting rectifiers and flux pumps. Part 2: commutation modes, characteristics and switches	267
<i>van de Klundert, L.J.M., ten Kate, H.H.J., Bunk, P.B., Britton, R.B.</i> High current and high power superconducting rectifiers	291
<i>van de Klundert, L.J.M., van Rij, M.L.D., van Weezep, W.J., Gijsbertse, E.A.</i> Non-isothermal fluxpenetration in type II superconductors	419
<i>van Poolen, L.J., Smith, D.R., Hust, J.G.</i> Measurement of effective thermal conductivity of glass fibre blanket standard reference material	460

<i>van Rij, M.L.D., van Weezep, W.J., Gijsbertse, E.A., van de Klundert, L.J.M.</i> Non-isothermal fluxpenetration in type II superconductors	419
<i>van Sciver, S.W.</i> Correlation of time dependent recovery from film boiling heat transfer in He II	529
<i>van Sciver, S.W., Kryukov, A.P.</i> Calculation of the recovery heat flux from film boiling in superfluid helium	525
<i>van Weezep, W.J., Gijsbertse, E.A., van de Klundert, L.J.M., van Rij, M.L.D.</i> Non-isothermal fluxpenetration in type II superconductors	419
<i>Verges, P., Eckert, D., Gladun, A., Mobius, A.</i> Numerical treatment of the quenching process in superconducting magnet systems	367
<i>Vodel, W., Albrecht, G., Hilbert, A., Kirsch, G., Nowak, H., Zach, H.G.</i> Application of flat dc-thin film SQUID'S and technique for biomagnetic measurements	607
<i>Voedovskii, K.E., Kochetkov, V.M.</i> Theory of superconducting magnet suspension: main results survey	719
<i>Voth, R.O.</i> Maximum practical efficiency of helium temperature refrigerants	635
<i>Wake, M., Gross, D.A., Yamada, R.</i> Harmonic measurements in superconducting magnets for a high energy accelerator	341
<i>Walter, H., Klipping, G., Krishna, A., Ruppert, U., Srinivasa, R.</i> Low temperature skin treatment	181
<i>Wankowicz, J., Gubanski, S.M.</i> Surface thermostimulated currents on organic and inorganic dielectrics in the temperature range 78-285 K.	563
<i>Wanner, M.</i> Thermal conductance of a pressed Al-Al contact	3
<i>Warnes, L.A.A., King, H.W.</i> The low temperature magnetic properties of austenitic Fe-Cr-Ni alloys. 3. the effect of chromium concentration in Fe-Cr-17 wt% Ni alloys	729
<i>Watanabe, T., Takada, T., Okaji, J., Yuyama, H., Suzuki, H.</i> Simultaneous measurements of heat capacity and pressure coefficient of liquid He ⁴ and He ³ -He ⁴ mixtures	601
<i>Waysand, G., Hueber, D., Valette, C.</i> Superconducting x and gamma ray imaging device	387
<i>Weber, H.W., Maix, R.K., Nardai, F.</i> Neutron irradiation of a broad spectrum of NbTi superconductors	223
<i>Weber, H.W., Nardai, F.</i> Computerized measuring system for critical currents in superconductors	219
<i>Weinstock, H., Thompson, C.W. Jr., Overton, W.C. Jr.</i> A method for measuring the low temperature thermal conductivity of thin wires	118
<i>Weisensel, G.N., Rowlands, R.E.</i> In situ cryogenic moiré strain analysis	242
<i>Wener, H.G., Selig, K.P.</i> An ultrasonic level sensor for liquid gases	680
<i>Wilczek, M., Bodio, E.</i> Analysis of the starting time of the Joule-Thomson microliquefier	259

Wong, A.Y., Lee, P.S.C., Skoczylas, G.A., Tran, M.Q.	
Leak tight vacuum seals for large windows and flanges at liquid helium temperatures	625
Wostenholm, G.H., Jones, S., Morton, N., James, B.W.	
The anomalous low temperature lattice thermal conductivity of V ₃ Sn and related compounds	81
Wyatt, A.F.G., Baird, M.J., Moss, F.	
A simple apparatus for preparing modest quantities of isotopically pure ⁴ He	114
Yamada, R., Wake, M., Gross, D.A.	
Harmonic measurements in superconducting magnets for a high energy accelerator	341
Yang, L.C., Petrac, D., Elleman, D.D., Saffren, M.M.	
Characterization of superfluid helium transfer	207
Yaskin, L.A., Yeroshenko, V.M.	
Applicability of various correlations for the prediction of turbulent heat transfer of supercritical helium	94
Yasohama, K., Yasukochi, K., Ogasawara, T., Takahashi, Y.	
Kanbara, K., Kubota, Y.	
Alternative field losses in superconducting wires carrying dc transport currents. Part 2: multifilamentary composite conductors	97
Yasukochi, K., Ogasawara, T., Takahashi, Y., Kanbara, K., Kubota, Y., Yasohama, K.	
Alternative field losses in superconducting wires carrying dc transport currents. Part 2: multifilamentary composite conductors	97
Yeroshenko, V.M., Yaskin, L.A.	
Applicability of various correlations for the prediction of turbulent heat transfer of supercritical helium	94
Yoshihiro, K., Murata, K., Kinoshita, J.	
Superleaktight wire solder gasket seals for use at low temperatures	507
Yuyama, J., Takada, T., Okaji, J., Suzuki, H., Watanabe, T.	
Simultaneous measurements of heat capacity and pressure coefficient of liquid He ⁴ and He ³ -He ⁴ mixtures	601
Zach, H.G., Albrecht, G., Hilbert, A., Kirsch, G., Nowak, H.	
Vodel, W.	
Application of flat dc-thin film SQUID's and technique for biomagnetic measurements	607
Zhradnitsky, A., Cave, J.R., LeBlanc, M.A.R., Fillion, G., Timms, W.E.	
Study of the barrier against flux exit from type II superconductors	491
Zenkevitch, V.B., Romanyuk, A.S., Zheltov, V.V.	
Losses in composite superconductors at a high level of magnetic field excitation: Part 2	13
Zhelamsky, M.V., Koretsky, A.Yu., Kostenko, A.I., Trokhachev, G.V.	
On the transient heat transfer in liquid helium in narrow horizontal channels	216
Zhelotov, V.V., Zenkevitch, V.B., Romanyuk, A.S.	
Losses in composite superconductors at a high level of magnetic field excitation: Part 2	13
Zhitomirsky, I.S.	
The electromagnetic forces and losses in cryoturbogenerator rotor shells	515
Zhitomirsky, I.S., Gavrilov, R.V.	
Optimization of cryostabilized superconducting generator windings cooled by the thermosiphon method	567
Zotov, I.L., Barkov, A.V.	
Investigation of a rotating liquid helium transfer coupling	654

Zust, H.K., Bald, W.B.	
Experimental observations of flow boiling of liquid helium I in vertical channels	657
Book Reviews	
Advances in cryogenic engineering, volume 25	
Reviewed by P.A. Hudson	440
Filamentary Al5 superconductors	
Reviewed by P. McDonald	441
Flux penetration in type II superconductors	
Reviewed by M.N. Wilson	440
Proceedings of ICEC8, Genova 1980	
Reviewed by P.V.E. McClintock	314
Conference Reports	
Applied superconductivity conference (Santa Fe, USA)	247
Kryogenika '80 (Czechoslovakia)	246
Letters	
Convenient liquid helium level detector, a	
J.A. Campbell	121
Remarks on helium production from industrial waste gases	
H.C.L. Bewilogua	438
Papers	
ac losses in Nb ₃ Ge composite tape conductors	
M.P. Maley, J.D. Thompson, L.R. Newkirk	675
ac magnetic instability in non-ideal type-II superconductors	
M. Takeo, F. Irie, T. Matsushita, G. Klipping, K. Lüders, U. Ruppert	71
Adiabatic demagnetization of Er ³⁺ or Nd ³⁺ substituted YAG	
N.E. Alekseevskii, A.P. Dodokin, C. Bazan, Kh.S. Bagdasarov, E.A. Fedorov, L.M. Belyaev	598
Alternative field losses in superconducting wires carrying dc transport currents. Part 2: multifilamentary composite conductors	
T. Ogasawara, Y. Takahashi, K. Kanbara, Y. Kubota, K. Yasohama, K. Yasukochi	97
Analysis of the starting time of the Joule-Thomson micro-liquefier	
E. Bodio, M. Wilczek	81
Applicability of various correlations for the prediction of turbulent heat transfer of supercritical helium	
V.M. Yeroshenko, L.A. Yaskin	94
Applications of cryogenic containers	
D. Tantam	691
Application of flat dc-thin film SQUID's and technique for bio-magnetic measurements	
G. Albrecht, A. Hilbert, G. Kirsch, H. Nowak, W. Vodel, H.G. Zach	607
Asymmetry of the normal zone propagation velocity in superconductors	
A. Vl. Gurevich, R.G. Mints	102
Austenitic stainless steels at cryogenic temperatures: the compositional dependence of the M _s	
H.W. King, D.C. Larbalestier	521
Automatic liquid nitrogen filling system, an	
C.P. Monaghan, E.J. O'Brien Jr, M.L. Good	540
Behaviour of power leads for superconducting magnets	
G. Aharonian, L.G. Hyman, L. Roberts	145

Calculation of the recovery heat flux from film boiling in superfluid helium	
<i>A.P. Kryukov, S.V. van Sciver</i>	525
Characterization of superfluid helium transfer	
<i>L.C. Yang, D. Petrac, D.D. Elleman, M.M. Saffren</i>	207
Cold box for the forced cooling systems of superconducting magnets	
<i>V.I. Bondarenko, L.B. Dinaburg, V.F. Fokeev, V.V. Kalinin, P.N. Selyankin</i>	105
Computation of minimum volume sixth order superconducting solenoids	
<i>M.P. Janawadkar, M.C. Valsakumar, T.S. Radhakrishnan</i>	403
Computerized measuring system for critical currents in superconductors	
<i>F. Nardai, H.W. Weber</i>	219
Correlation of time dependent recovery from film boiling heat transfer in He II	
<i>S.W. van Sciver</i>	529
Correlation of thermal conductivity data for helium, a	
<i>B.A. Hands, V.D. Arp</i>	697
Counterflow cooldown of cryogenic power transmission lines	
<i>D.E. Daney, M.C. Jones</i>	463
Cryogenic refrigeration using a low temperature heat source	
<i>C.K. Chan</i>	391
Cryogenics in the food industry	
<i>H. Davidge</i>	287
Densities and dielectric constants for some LPG components and mixtures at cryogenic and standard temperatures	
<i>C.C. Luo, R.C. Miller</i>	85
Double acting reciprocating magnetic refrigerator: first experiments	
<i>C. Delpeuch, R. Beranger, G. Bon Mardion, G. Claudet, A.A. Lacaze</i>	579
Effect of coolant loss on current leads for superconducting magnet, the	
<i>C. Chyba, L.G. Hyman, L. Roberts</i>	615
Effects of the IVa element addition on the composite-processed superconducting Nb ₃ -Sn	
<i>T. Takeuchi, T. Asano, Y. Iijima, K. Tachikawa</i>	585
Effect of transport current and saturation on the losses of multifilamentary superconducting wires, the	
<i>A.M. Campbell</i>	107
Electrical properties of D-T gas from 20 to 26 K	
<i>P. Clark Souers, E.M. Fearon, R.T. Tsugawa</i>	667
Electrocalorimetric apparatus for measuring losses in superconducting samples	
<i>Ph. Dubernet and T. Pech</i>	543
Electromagnetic forces and losses in cryoturbogenerator rotor shells, the	
<i>I.S. Zhitomirsky</i>	515
Enthalpy of He-He ₂ mixtures in the region of liquid-gas phase equilibrium	
<i>V.K. Jaruntsev, V.A. Medvedev</i>	609
Experimental measurement of void fraction in cryogenic two phase upward flow	
<i>A. Khalil, G. McIntosh, R.W. Boom</i>	411
Experimental observations of flow boiling of liquid helium I in vertical channels	
<i>H.K. Zust, W.B. Bald</i>	657
Fracture and strength properties of selected austenitic stainless steels at cryogenic temperatures	
<i>D.T. Read, R.P. Reed</i>	415

Fully engineering high performance UHF SQUID magnetometer	
<i>R.J. Prance, T.D. Clark, A.P. Long, M. Moore</i>	501
Harmonic measurements in superconducting magnets for a high energy accelerator	
<i>M. Wake, D.A. Gross, R. Yamada</i>	341
Heat transfer in floating insulations for open cryogenic liquid containers	
<i>S. Srinivasa Murthy, M.V. Krishna Murthy</i>	641
Heat transfer properties in a vertical channel filled with saturated and pressurized helium II	
<i>D. Gentile, M.X. Francois</i>	234
High current and high power superconducting rectifiers	
<i>H.H.J. ten Kate, P.B. Bunk, R.B. Britton, L.J.M. van de Klundert</i>	291
Hysteresis losses of multifilament superconductors in superimposed dc and ac magnetic fields	
<i>K. Kwasnitza, P. Bruzzone</i>	593
Improved superconducting properties of the composite-processed V ₃ Ga wires with changed configuration	
<i>R.G. Sharma, Y. Tanaka, K. Tachikawa</i>	165
Influence of nucleate to film boiling transition in liquid helium on the stability of composite superconductors under ac conditions, the	
<i>V.A. Altov, E.V. Blagov, N.A. Kulysov, V.V. Sytchev</i>	555
Influence of Sc/Cu ratio and filament distribution on the stability of superconductors with respect to local heat pulses, the	
<i>O.P. Anashkin, V.E. Keilin, V.V. Lyikov</i>	169
Influence of tensile and bending strains on the critical current in multifilamentary Nb ₃ -Sn composites processed by Nb tube method	
<i>H. Shiraki, O. Horigami, S. Murase</i>	7
Investigation of a rotating liquid helium transfer coupling	
<i>A.V. Barkov, I.L. Zotov</i>	654
Investigation of superconducting cable cooldown	
<i>N.T. Bendik, N.I. Glukhov</i>	361
Investigations into the evaporation of liquefied gases spreading on land	
<i>G. Opschoor</i>	281
K-value predictions for the methane-ethane-propane system	
<i>M. Mukhopadhyay, R. Awasthi</i>	345
Large diameter horizontal helium cryostats	
<i>I. Ben-Zvi, B.V. Elkonin, J.S. Sokolowski, N. Pundak</i>	213
Losses in composite superconductors at a high level of magnetic field excitation: Part 2	
<i>V.B. Zenkevitch, A.S. Romanyuk, V.V. Zheltov</i>	13
Losses in superconducting cables in pulsed magnetic fields	
<i>F. Chovanec, V.M. Drobin, E.I. Dyachkov, L. Jansak, I.S. Khukhareva, Yu.V. Kulikov, V.G. Luppov, V.A. Malyuk, A.A. Smirnov</i>	559
The low temperature magnetic properties of austenitic Fe-Cr-Ni alloys. 3. The effect of chromium concentration in Fe-Cr-17 wt% Ni alloys	
<i>L.A.A. Warnes, H.W. King</i>	729
Low temperature skin treatment	
<i>G. Klipping, A. Krishna, U. Ruppert, R. Srinivasa, H. Walter</i>	181
Magnetic refrigeration in the temperature range from 10 K to room temperature; the ferromagnetic refrigerants	
<i>T. Hashimoto, T. Numasawa, M. Shino, T. Okada</i>	647
Mains noise suppression for SQUID biomagnetic measurements using a phase-sensitive detector technique	
<i>R.J. Prance, H. Rushby, M.W. Potts, M. Moore, T.D. Clark</i>	238

Maximum practical efficiency of helium temperature refrigerators	
<i>R.O. Voth</i>	635
Measurement of effective thermal conductivity of a glass fibreboard standard reference material	
<i>D.R. Smith, J.G. Hust</i>	408
Measurement of effective thermal conductivity of glass fibre blanket standard reference material	
<i>D.R. Smith, J.G. Hust, L.J. van Poolen</i>	460
Measurement of the stability of overheated superconducting niobium-titanium wires	
<i>A.B. Imenitov, E.Yu. Klimenko, V.E. Kozitsyn, S.I. Novikov, V.K. Ozhogina</i>	56
Modelling cooling down of tubular geometries to cryogenic temperatures	
<i>W. Reichel, R. Agsten</i>	356
Neutron irradiation of a broad spectrum of NbTi superconductors	
<i>F. Nardai, H.W. Weber, R.K. Maix</i>	223
New multi-element rf SQUID system and its application to the magnetic vector gradiometer, a	
<i>K. Shirae, H. Furukawa, K. Kishida</i>	707
Nickel-free austenitic steels for cryogenic applications: the Fe-23% Mn-5% Al-0.2% C alloys	
<i>J. Charles, A. Berghazan</i>	278
Non-isothermal fluxpenetration in type II superconductors	
<i>E.A. Gijbertse, L.J.M. van de Klundert, M.L.D. van Rij, W.J. van Weezep</i>	419
Numerical treatment of the quenching process in superconducting magnet systems	
<i>D. Eckert, A. Gladun, A. Mobius, P. Verges</i>	367
On the layout of low temperature bushings for high ac voltage	
<i>J. Gerhold</i>	426
On the transient heat transfer in liquid helium in narrow horizontal channels	
<i>M.V. Zhelamsky, A.Yu. Koretsky, A.I. Kostenko, G.V. Trokhachev</i>	216
Optimization of cryostabilized superconducting generator windings cooled by the thermosiphon method, an	
<i>R.V. Gavrilov and I.S. Zhitomirsky</i>	567
Oval test coil for examining mechanical effects in superconducting coils	
<i>D.L. Atherton, N.C. Sponagle</i>	39
Present practices in Japan for the measurement and definition of various superconducting parameters	
<i>G. Fujii</i>	21
Pressure-enthalpy diagrams for methane, ethane, propane, ethylene and propylene	
<i>K. Bühner, G. Maurer, E. Bender</i>	157
Quenching stress, quenching current and plastic strain in superconductors	
<i>I.L. Maksimov, R.G. Mints, A.L. Rakhmanov</i>	715
Return-flux corrections for SQUID susceptometry	
<i>M. Denhoff, S. Gygax, J.R. Long</i>	400
Self-healing effect in strained multifilamentary Nb ₃ Sn conductors	
<i>G. Rupp</i>	619
Self-regulating transfer modes of liquid helium to the rotor of a superconducting generator	
<i>A. Hofmann</i>	372
Simultaneous measurements of heat capacity and pressure coefficient of liquid He ⁴ and He ³ -He ⁴ mixtures	
<i>T. Takada, M. Okaji, J. Yuyama, H. Suzuki, T. Watanabe</i>	610

Space helium refrigerator	
<i>A.E. Salomonovich, T.M., Sidyakina, A.S. Khaikin, V.N. Bakun, A.A. Nikonov, V.A. Maslakov, E.I. Klimenko, V.N. Kurkin</i>	474
Specific heat of Apiezon N grease at very low temperatures	
<i>H.J. Schink, H.V. Lohneysen</i>	591
Stability of Nb ₃ Sn composite conductors cooled by normal and superfluid helium, the	
<i>P. Turowski</i>	533
Stability of thermal waves in helium-cooled superconducting cables	
<i>M.N. Özisik, Ch. Trepp, S. Bogado-Leite</i>	175
Study of the barrier against flux exit from type II superconductors	
<i>M.A.R. LeBlanc, G. Fillion, W.E. Timms, A. Zahradnitsky, J.R. Cave</i>	491
Superconducting current carrying capacities of the composite-processed Nb-Hf/Cu-Sn-Ga in high magnetic fields	
<i>H. Sekine, K. Togano, K. Tachikawa</i>	152
Superconducting properties of Al ₁₅ V ₃ Ga and Nb ₃ Al by precipitation from supersaturated bcc phase	
<i>V.M. Pan</i>	547
Superconducting x and gamma ray imaging device	
<i>D. Hueber, C. Valette, G. Waysand</i>	387
Surface thermostimulated currents on organic and inorganic dielectrics in the temperature range 78-285 K	
<i>S.M. Gubanski and J. Wankowicz</i>	563
Temperature control for a long distance cooling channel using a microcomputer	
<i>N. Tamada, S. Tomiyama, T. Sekine</i>	349
10 tesla cryomagnetic system for neutron scattering experiments, a	
<i>G. Claudet, B. Gravi, J. Rossat-Mignod, S. Burgess</i> ...	711
Theory of He-II film boiling on horizontal cylinders, the	
<i>D.A. Labuntzov, Ye.V. Ametistov</i>	51
Theory of superconducting magnet suspension: main results survey	
<i>K.E. Voevodskii, V.M. Kochetkov</i>	719
Thermal conductance of a pressed Al-Al contact	
<i>M. Wanner</i>	3
Thermal conductivity and electrical resistivity of Nb-Ti alloys at low temperatures	
<i>Yu.F. Bychkov, R. Herzog, I.S. Khukhareva</i>	741
Thermal conductivity and electrical resistivity of Nb-Ti (HT-50) as a function of temperature and magnetic field	
<i>E.I. Dyachkov, R. Herzog, I.S. Khukhareva, A. Nichitiu</i> .	47
Thermal conductivity of polyester-amide-imide film	
<i>J.G. Hust, R. Boscardin</i>	297
Transient slip behaviour of metal/insulator pairs at 4.2 K	
<i>R.S. Kensley, H. Maeda, Y. Iwasa</i>	479
Transient stability of superconducting cable against thermal disturbance	
<i>T. Onishi, K. Koyama, K. Komuro, H. Ugazin</i>	431
Transport of cryogenic liquids or gases between installations at different electrical potentials	
<i>F. Schauer</i>	735
Trapezoidal ac magnetic fields: a powerful technique for the investigation of type II superconductors	
<i>E.A. Gijbertse, M. Caspari, L.J.M. van de Klundert</i> ...	299

Review Articles

Cryogenic properties of filamentary-reinforced composites: an update	
<i>M.B. Kasen</i>	323

Cryogenics at Oxford Instruments	
<i>T. Cook, I. McDougall, W. Proctor, P.H. Winson</i>	259
Fully superconducting rectifiers and flux pumps Part 1: Realized methods for pumping flux	
<i>L.J.M. van de Klundert, H.H.J. ten Kate</i>	195
On fully superconducting rectifiers and flux pumps Part 2: commutation modes, characteristics and switches	
<i>L.J.M. van de Klundert, H.H.J. ten Kate</i>	267
Research activities at liquid helium temperatures in India	
<i>V. Chopra, K.D. Chaudhuri</i>	67
Triple-points of low melting substances and their use in cryogenic work	
<i>L.A.K. Staveley, L.Q. Lobo, J.C.G. Calado</i>	131
Worldwide cryogenics — USA. The Francis Bitter National Magnet Laboratory, Massachusetts Institute of Technology: cryogenic research facilities	
<i>A.M. Dawson</i>	451

Research and Technical Notes

Correlation of orthobaric liquid densities and of second virial coefficients for methane	
<i>U. Sievers, M. Koschowitz., S. Schultz</i>	623
Cryopreservation equipment	
<i>G.R. Parsons</i>	747
Effects of low temperature irradiation effect on the cryogenic fatigue resistance of epoxy resin used in superconducting magnets, the	
<i>S. Nishijima, S. Ueta, T. Okada</i>	312
Electrical resistance behaviour of a type 1 superconductor containing ferromagnetic particles	
<i>A. Sikora, B. Makiej</i>	622

Heat capacity of Wakefield thermal compound from 20 to 100 K	
<i>B. Cort, D. Naugle</i>	313
In situ cryogenic moiré strain analysis	
<i>G.N. Weisensel, R.E. Rowlands</i>	242
Leak tight vacuum seals for large windows and flanges at liquid helium temperatures	
<i>P.S.C. Lee., G.A. Skoczylas., M.Q. Tran, A.Y. Wong</i>	625
Method for measuring the low temperature thermal conductivity of thin wires, a	
<i>H. Weinstock, C.W. Thompson Jr., W.C. Overton, Jr.</i>	118
Miniature mutipin electrical feedthrough for vacuum use	
<i>R.B. Goldfarb</i>	746
Note on measuring loads at low temperatures (15 K)	
<i>D.A. Golopentia, A.L. Ruoff</i>	241
100A plug and socket for use at liquid helium temperatures, a	
<i>E.M. Forgan</i>	679
Rapid shutdown and restart of a millikelvin cryostat	
<i>G.W. Swift, R.E. Packard</i>	241
Resistance “creep” of Allen-Bradley resistors at low temperatures	
<i>E.M. Forgan, S. Nedjat</i>	681
Simple apparatus for preparing modest quantities of isotopically pure ⁴ He, a	
<i>F. Moss, A.F.G. Wyatt, M.J. Baird</i>	114
Simple versatile sample holder of low heat capacity for adiabatic calorimetry, a	
<i>E. Gmelin, K. Ripka</i>	117
Superleak tight wire solder gasket seals for use at low temperature	
<i>K. Murata, J. Kinoshita, K. Yoshihiro</i>	507
Ultrasonic level sensor for liquid gases, an	
<i>K.P. Selig, H.G. Wener</i>	680

